



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/518,545

02/08/2006

Ugenio Ferreira Da Silva Neto

DASI3002/FJD

9542

23364 7590 12/02/2009

BACON & THOMAS, PLLC

625 SLATERS LANE

FOURTH FLOOR

ALEXANDRIA, VA 22314-1176

EXAMINER

WRIGHT, BRYAN F

ART UNIT

PAPER NUMBER

2431

MAIL DATE

DELIVERY MODE

12/02/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/518,545	Applicant(s) DA SILVA NETO, UGENIO FERREIRA	
	Examiner BRYAN WRIGHT	Art Unit 2431	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 September 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 12-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 12-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

FINAL ACTION

1. This action is in response to amendment filed 9/8/2009. Claim 12 is amended.
Claims 12-22 are pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 12 -15 and 17- 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gillen (US Patent Publication No. 2003/0208290) in view of Crater et al. (US Patent No. 5,805,442) and further in view of Galasso (US Patent No. 6,598,165).
3. As to claim 12, Gillen teaches a method for providing protection from unauthorized access to a field device (i.e., microcontroller) in process automation technology (i.e., ... teaches a microcontroller whose control program is protected from being read out [par. 12]), whereby the set parameters of the function block (i.e., Gillen teachings of a control program could be consider to one of ordinary skill in the art as a function block [par. 28]) and the field device determine the functionality of the field device and allow the execution of complicated control procedures while interacting with

Art Unit: 2431

other field devices connected to the data bus (e.g., Fieldbus [par. 27]) (i.e., ...teaches a control program for controlling (e.g., allow) execution of microcontroller [par. 28]),

the method comprising the steps of: performing an authorization examination (i.e., self-monitoring) in the case of accessing the parameters of the function block (e.g., control program) or the field device over the data bus (e.g., field bus connection [par. 27]) (i.e., teaches the control program stored in the field device performs self-monitoring operation thereby allowing the enabling and disabling of device features (e.g., accessing the parameters) being monitored [par. 28; par. 29]);

and permitting a change (i.e., activating basic function) in the parameters of the function block (e.g., control program) or the field device (i.e., microcontroller) or a replacement of the function block by the control unit over the data bus (e.g., field bus connection [par. 27]) only in the case when the authorization is available (i.e., ...teaches an authorization examination [par. 33] consisting of an identifier Ki of the software protection device 26.sub.Vi is interrogated by the control unit [par. 34] further teaches If the value X2 transmitted by the software protection device 26.sub.Vi to the control unit 16 does not correspond to the value X1, then only certain basic functionalities are activated [par. 38]).

Gillen does not expressly teach the claim limitation elements:

whereby the field device is connected over a data bus with a remote control unit, the field device comprises at least one function block with defined communication interfaces.

However, these features are well known in the art and would have been an obvious modification of the system disclosed by Gillen as introduced by Crater. Crater discloses: whereby the field device is connected over a data bus with a remote control unit (to provide data bus connection means to a remote control unit [abstract]), the field device comprises at least one function block (e.g., communication module with defined communication interfaces (to provide a field device communication means such that communication is facilitated [abstract])).

Therefore, given the teachings of Crater, a person having ordinary skill in the art at the time of the invention would have recognized the desirability and advantage of modifying Gillen by employing the well known feature of field device function block architecture as disclose above by Crater, for which field device access authorization will be enhanced [abstract].

The combination of Gillen and Crater does not teach: storing in the field device or function block a security program.

However, these features are well known in the art and would have been an obvious modification of the system disclosed by the combination of Gillen and Crater as introduced by Galasso. Galasso discloses:

Art Unit: 2431

storing in the field device or function block a security program (to provide the capability to store a security program Galasso provides security firmware for which prevents the modifying of content base on proper authorization [col. 1, lines 50-57]).

Therefore, given the teachings of Galasso, a person having ordinary skill in the art at the time of the invention would have recognized the desirability and advantage of modifying the combination of Gillen and Crater by employing the well known features of storing a security programs in a field device disclose above by Galasso, for which field device access authorization will be enhanced [col. 1, lines 50-57].

4. As to claims 13 and 14 the system disclosed by the combination of Gillen and Crater shows substantial features of the claimed invention (discussed in the paragraph above), it fails to disclose:

A method where: the security program is part of a function block (claim 13).

A method where: the security program is part of firmware stored in the field device (i.e., microprocessor) (claim 14).

However, these features are well known in the art and would have been an obvious modification of the system disclosed by the combination of Gillen and Crater as introduced by Galasso. Galasso discloses:

A method where: the security program is part of a function block (claim 13) (to include security protection as part of a firmware stored on a field device [fig. 1].

Art Unit: 2431

A method where: the security program is part of firmware stored in the field device (i.e., microprocessor) (claim 14) (to store security firmware in field devices [col. 1, lines 50-57]).

Therefore, given the teachings of Galasso, a person having ordinary skill in the art at the time of the invention would have recognized the desirability and advantage of modifying the combination of Gillen and Crater by employing the well known features of storing security programs in a field device disclosed above by Galasso, for which field device access authorization will be enhanced [col. 1, lines 50-57].

5. As to claim 15, Gillen teaches a method where the security program includes a security key (i.e., identifier), which is stored in the field device during configuration of the field device (i.e., microcontroller) [par. 36].

6. As to claim 17, Gillen teaches a method where the security key is created during installation of the field device [par. 7].

7. As to claim 18, Gillen teaches a method where the security key (i.e., identifier) is provided by the field device [par. 39].

8. As to claim 19, Gillen teaches a method where: the security key (i.e., identifier) is regularly renewed [par. 38].

9. As to claim 20, teaches a method where: the security key (i.e., identifier) is renewed hourly [par. 38].

10. As to claim 21, Gillen teaches a method where: the security key (i.e., ...identifier) is stored only in the field device [par. 36].

11. As to claim 22, Gillen teaches a method where: the field devices (e.g., EEPROM) are sensors, actuators, controllers, PLCs or gateways [par. 25].

12. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Gillen and Crater in view of Galasso, as applied to claim 12 above, further in view of Moyer (US Patent No. 7,266,848 and Moyer hereinafter).

13. As to claim 16 the system disclosed by Galasso shows substantial features of the claimed invention (discussed in the paragraph above), it fails to disclose:

A method where: the security key is an at least 128-bit code.

However, these features are well known in the art and would have been an obvious modification of the system disclosed by the combination of Gillen and Crater in view of Galasso as introduced by Moyer. Moyer discloses:

Art Unit: 2431

A method where: the security key is an at least 128-bit code (to provide a variable length security key capability [col. 3, lines 23-26]).

Therefore, given the teachings of Moyer, a person having ordinary skill in the art at the time of the invention would have recognized the desirability and advantage of modifying the combination of Gillen and Crater in view of Galasso by employing the well known features of variable length security key above by Moyer, for which field device access authorization will be enhanced [col. 3, lines 23-26].

Response to Arguments

Remarks – Claim Objection

The Examiner withdraws claim objection for claim 12 in view of applicant's amendment.

Remarks – 103 Rejection

Applicant asserts "Gillen does not teach a field device connected over a data bus with a remote control unit with the field device comprising at least one function block with defined communication interfaces. The examiner asserts that the control program could be considered as a function block. This is really far-fetched! Gillen is neither talking about a data bus nor a function block nor that this function block is defining communication interfaces. As the function block appears in nearly all features of claim 12, the examiner's statements in view of the further features of claim 12 are simply not true and consequently irrelevant insofar as patentability is concerned".

The Examiner contends that Gillen shows in Figure 1 a field programmable device connected to a bus. Further, in paragraph 27 of Gillen, Gillen discloses the following

"The control unit 16 communicates via an interface 22 with a control center (not specifically illustrated) which controls the entire process sequence. The communication can take place e.g. via the databus line DBL. However, other communications links with the control center are also conceivable. For digital communication, an ASIC from Siemens SPC4 can be used as the interface 22. The communication takes place according to the Profibus PA Standard. For the

Art Unit: 2431

other links, a HART =modem, a Foundation Fieldbus Controller or a CAN Controller can be used as the interface 22. The communication then takes place according to the Hart or Foundation Fieldbus or CAN Standard with an interface to a bus”.

The Examiner respectfully submits the above teachings of Gillen, paragraph 27 describes the element of remote control of a field device containing software logic (e.g., programmable/functional) via bus interface.

With regards to applicant's remarks of, “Gillen also does not teach that the set of parameters of the function block and the field device determine the functionality of the field device and allow the execution of complicated control procedures while interacting with other field devices connected to the data bus. In fact, Gillen does not disclose function blocks integrated in field devices which interact with each other”, the Examiner contends Gillen discloses in paragraph 28 the following,

“variants V1, V2, etc., realize different functionalities of the field measuring instrument with regard to e.g. measurement signal acquisition, measurement signal evaluation, calibration, input/output functions, communication, self - monitoring, etc. Thus, the variant V1 may generate a basic functionality of the field instrument, and the variant V2, on the other hand, an extended functionality”.

Art Unit: 2431

In this instance the Examiner has considered applicant's parameters as being equivalent to Gillan's variants. The Examiner respectfully submits those skilled the art would recognize Gillan's variants as a functional process operating in a controlled manner to produce the field devices desired functionality.

With regards to applicant's remarks of, "Galasso does not provide a hint in the direction of the present invention with the exception that some software is protected, the Examiner contends Galasso discloses the existing use and ability to store a security program for controlling access to a IC device (e.g. field device) at the time of applicant's original filings [column 1, lines 50-60]. The access to the IC device is controlled by the security program as claimed by applicant. The Examiner contends Galasso teaches enhancing the access security for the programmable field devices taught by both Gillan and Carter.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2431

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRYAN WRIGHT whose telephone number is (571)270-3826. The examiner can normally be reached on 8:30 am - 5:30 pm Monday -Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Korzuch can be reached on (571) 272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/518,545
Art Unit: 2431

Page 13

/BRYAN WRIGHT/
Examiner, Art Unit 2431

/William R. Korzuch/
Supervisory Patent Examiner, Art Unit 2431